

Poster Led Display



- 1, Plug and Play
- 2, Light and Thin
- 3, P1.875 / P2 / P2.5 / P3 Available
- 4, USB / WIFI / 4G / LAN Control

Poster LED Screen

Easy & Fast
Plug and Play

Light & Thick
35mm

Standard
80 Inches
Intelligent
Phone App
Cascade Mode



PHYSICAL DISPLAY



Single double-sided screen




A single double-sided screen opens



Three Fold Poster Led Display Customization Supported




PHYSICAL DISPLAY





Specifications	P1.25	P1.53	P1.86	P2
Lamp	SMD (1010)	SMD (1010)	SMD (1010)	SMD (1515)
Pitch	1.25 mm	1.53 mm	1.86 mm	2mm
Module Size	320× 160 mm	320× 160 mm	320× 160 mm	320× 160 mm
Panel Size	960*640mm/1280*960mm			
Panel Weight	27kg/pc	27kg/pc	27kg/pc	27kg/pc
Drive Method	1/62S	1/52S	1/43S	1/40S
Processing	16bits			
Brightness	600cd/sqm	600cd/sqm	600cd/sqm	800cd/sqm
Best Viewing Distance	≥2m			
Refresh Rate	7680HZ			
Working Voltage	AC100-240V 50/60HZ			
Maintanence Way	Front Access			
Max Power Consumption	800W			
Ave. Power Consumption	300W			
Working Temperature & Humidity	-25°C-60°C. 10%-90%non-condensing			
IP Rating	IP43			
Life Span	100000 hrs			
Warranty	24 months full warranty + 12 month free maintenance			



- No noise
- Silent design
- Ultra-light & thin
- Portable advertising machine

Protection Frame

Seamless stitching of multiple LED posters

The built-in led processor with high pixel dots can be connected to 8 separate advertising machines to form a large screen




2-8 pcs poster can join together

5 Steps to connect Poster LED Display



1

Download the software (屏精灵 ViPlex Handy) by your phone AppStore



2

Plug the main power cable into port on the poster backside. Wait a moment, the poster will light on





3

Find the WiFi name and password on the backside of led poster, and connect it



4

Click the software and add device, Find the corresponding WiFi and password of poster, and connect it



5

Click "Try now" → "OK", choose you post the picture, video, text or others, and then click the "publish"

Changing System Card Without Resetting

- Module front maintenance:
No need to disassemble protective layer
- Creative tool:
Vac-sorb maintenance tool
- System box design:
1 second tool-free open it

**Magnet Module
& Front Service**




FLOOR TILE GRADE GOB PROCESS

Surface splash proof, scratch proof, collision proof, moisture-proof, and better stability



Finished product delivery ho need forinstalland debug.professional technicians toplug, and play



Adopting the "floor tile grade GOB process"

Surface splash proof, scratch proof, collision proof, moisture-proof, and better stability



Optional Installation Ways



Suitable for lifting, wall-mounted, floor-standing and creative installation like inclined structure installation.



Base With Wheels



Base Without Wheels



Floor-Standing

REMOTE CENTRALIZED CONTROL

Support WIFI 4G remote control, support realize many tasks
such as advertisement publishing, updating, management etc






With Wheels



Floor Standing



Hanging Installation

Different Installation Way


When place order, please tell us how will you install the poster led display, then we will provide you different installation accessories.

Multi-mode installation

Supports hanging, wall mounting, base mounting, diagonal mounting, etc.



Relying installation



Standing installation



Hanging installation



Multi-screen cascade



Creative installation

Poster led screens tested in our factory at least 48 hours before shipping

Custom Flight-Ready Shockproof Packing Case



Can hold one



Can hold two



Push in easily



Application scenario case presentation



Reception



Restaurant



Meeting room



School



Stage



Clothing store

Attitude: To pursue better

Pay attention to every detail

Each function is designed with the user's actual operating scene, discover subtle sensory points to help users use our products more comfortably.



Shenzhen Vcore Optoelectronics Co., Ltd

Mobile: +86 15013799459 Email: info@vcored.com

Website: www.vcoreled.com

ADD: B2, Weiqi Industrial Zone, Tangtou Community, Shiyan, Bao'an, Shenzhen, China

